

## Dr. Prem Bajaj

MD, PhD, MMedSc (Sheffield, UK), MPM (Cardiff, Wales)

Tlf Nr: 0044 (0) 2088450017

E-mail: [pbajaj@modernhealthltd.com](mailto:pbajaj@modernhealthltd.com)



## Clinical Research Articles and Presentations

- [1] Bajaj,P. (2013) Positive effects of low dose immunotherapy in a rheumatoid arthritis patient: a case study. In Press. Foundation Years Journal.
- [2] Bajaj,P. (2013) Sudden onset headache in a Lyme patient. In Press. Foundation Years Journal.
- [3] Bajaj,P. Role of autorelaxation and acupuncture in Fibromyalgia (2012). Chichester, UK, <http://follypogsfibro.org>. Oral Presentation 7-4-2012.
- [4] Bajaj,P. Chronic Fatigue and Myalgic Encephalitis. 2012. <http://seatafund.wordpress.com>. Oral Presentation 7-10-0012.
- [5] Bajaj,P., Arendt-Nielsen,L., & Andersen,O.K. (2005) Facilitation and inhibition of withdrawal reflexes following repetitive stimulation: electro- and psychophysiological evidence for activation of noxious inhibitory controls in humans. *Eur J Pain*, 9, 25-31.
- [6] Laursen,B.S., Bajaj,P., Olesen,A.S., Delmar,C., & Arendt-Nielsen,L. (2005) Health related quality of life and quantitative pain measurement in females with chronic non-malignant pain. *Eur J Pain*, 9, 267-275.
- [7] Arendt-Nielsen,L., Bajaj,P., & Drewes,A.M. (2004) Visceral pain: gender differences in response to experimental and clinical pain. *Eur J Pain*, 8, 465-472.
- [8] Bajaj,P., Bajaj,P., Madsen,H., & Arendt-Nielsen,L. (2003) Endometriosis is associated with central sensitization: a psychophysical controlled study. *J Pain*, 4, 372-380.
- [9] Bajaj,P., Arendt-Nielsen,L., Madeleine,P., & Svensson,P. (2003) Prophylactic tolperisone for post-exercise muscle soreness causes reduced isometric force--a double-blind randomized crossover control study. *Eur J Pain*, 7, 407-418.
- [10] Bajaj,P., Bajaj,P., Madsen,H., Moller,M., & Arendt-Nielsen,L. (2002) Antenatal women with or without pelvic pain can be characterized by generalized or segmental hypoalgesia in late pregnancy. *J Pain*, 3, 451-460.
- [11] Bajaj,P., Madeleine,P., Sjogaard,G., & Arendt-Nielsen,L. (2002) Assessment of postexercise muscle soreness by electromyography and mechanomyography. *J Pain*, 3, 126-136.
- [12] Bajaj,P., Bajaj,P., Madsen,H., & Arendt-Nielsen,L. (2002) A comparison of modality-specific somatosensory changes during menstruation in dysmenorrhic and nondysmenorrhic women. *Clin. J. Pain*, 18, 180-190.
- [13] Bajaj,P., Drewes,A.M., Gregersen,H., Petersen,P., Madsen,H., & Arendt-Nielsen,L. (2002) Controlled dilatation of the uterine cervix--an experimental visceral pain model. *Pain*, 99, 433-442.
- [14] Bajaj,P., Bajaj,P., & Arendt-Nielsen,L (2001). A controlled study to assess touch thresholds in chronic painful osteoarthritis of the lower limb. The Pain Society (The British and Irish Chapter of the IASP) Annual Scientific Meeting 27 - 31March 2001, University of York, Yorkshire.



**Dr. Prem Bajaj**

MD, PhD, MMedSc (Sheffield, UK), MPM (Cardiff, Wales)

Tlf Nr: 0044 (0) 2088450017

E-mail: [pbajaj@modernhealthltd.com](mailto:pbajaj@modernhealthltd.com)

[15] Bajaj,P., Madeleine,P., Farina,D., & Arendt-Nielsen,L (2001). Electromyographic and psychophysical assesment of post-exercise muscle soreness. Oregon, USA, September 9-13, 2001 Myopain'01 in Portland, 15.

[16] Bajaj,P., Bajaj,P., Graven-Nielsen,T., & Arendt-Nielsen,L. (2001) Osteoarthritis and its association with muscle hyperalgesia: an experimental controlled study. Pain, 93, 107-114.

[17] Madeleine,P., Bajaj,P., Sogaard,K., & Arendt-Nielsen,L. (2001) Mechanomyography and electromyography force relationships during concentric, isometric and eccentric contractions. J Electromyogr. Kinesiol., 11, 113-121.

[18] Bajaj,P., Graven-Nielsen,T., & Arendt-Nielsen,L. (2001) Post-exercise muscle soreness after eccentric exercise: psychophysical effects and implications on mean arterial pressure. Scand. J Med Sci Sports, 11, 266-273.

[19] Bajaj,P., Bajaj,P., Graven-Nielsen,T., & Arendt-Nielsen,L. (2001) Trigger points in patients with lower limb osteoarthritis. J Musculoskel. Pain, 9, 17-33.

[20] Bajaj,P., Arendt-Nielsen,L., Bajaj,P., & Madsen,H. (2001) Sensory changes during the ovulatory phase of the menstrual cycle in healthy women. Eur. J. Pain, 5, 135-144.

[21] Bajaj,P., Graven-Nielsen,T., & Arendt-Nielsen,L (2000). Effect of post-exercise muscle soreness on pinch force. Pain in Europe III , 204.

[22] Bajaj,P., Graven-Nielsen,T., Wright,A., Davies,I., & Arendt-Nielsen,L. (2000) Muscle Hyperalgesia in Post Exercise Muscle Soreness Assessed by Single and Repetitive Ultrasound Stimuli. The Journal of Pain, 1, 111-121.

[23] Bajaj,P., Graven-Nielsen,T., & Arendt-Nielsen,L. (2000) A psychophysical study of muscle fatigue and post-exercise muscle soreness of first dorsal interosseous muscle of hand. Proceedings of the 5th Annual Conference of the International Functional Electrical Stimulation Society, IFEES 2000, 186-189.

[24] Bajaj,P., Bajaj,P., Arendt-Nielsen,L., & Madsen,H (2000) Influence of dysmenorrhoea on sympathetic activity during different phases of menstrual cycle. Gynecological Endocrinology 14[The 8th ISGE Congress, Florence, Italy], 193.

[25] Bajaj,P., Graven-Nielsen T, & Arendt-Nielsen,L (2000). Post-exercise muscle soreness evaluated by McGill Pain Questionnaire (MPQ). The Pain Society (The British and Irish Chapter of the International Association for the study of Pain) [3-5 April, 2000, University of Warwick, Warwickshire].

[26] Bajaj,P., Arendt-Nielsen,L., Bajaj,P., & Madsen,H (2000). Neural plasticity in dysmenorrhoeic women: menstrual phase hyperalgesia. Gynecological Endocrinology 14, 192.

[27] Bajaj,P., Arendt-Nielsen,L., Bajaj,P., & Madsen,H. Sensory changes during the ovulatory phase of the menstrual cycle in healthy women. Eur J Pain . 2000.



**Dr. Prem Bajaj**

*MD, PhD, MMedSc (Sheffield, UK), MPM (Cardiff, Wales)*

Tlf Nr: 0044 (0) 2088450017

E-mail: [pbajaj@modernhealthltd.com](mailto:pbajaj@modernhealthltd.com)

[28] Bajaj,P. (1999) Post-Exercise Muscle Soreness - an experimental muscle pain model. Ph. D. Papers in Technology and Science, Aalborg University, Denmark., 34-36.

[29] Bajaj,P., Graven-Nielsen T, & Arendt-Nielsen,L (1999). Psychophysical study of muscle hyperalgesia - an experimental post exercise muscle pain model. The Pain Society (The British and Irish Chapter of the International Association for the study of Pain) [14-16 April, 1999, Heriot-Watt University, Edinburgh], 71.

[30] Bajaj,P. (1998) Review of pathophysiology of musculoskeletal pain in fibromyalgia and methods used to study the spinal and central pain mechanisms in chronic muscle pain. University of Wales College of Medicine, Department of Anaesthetics, Cardiff.

[31] Bajaj,P. (1996) Acupuncture techniques in the management of chronic pain. University of Wales College of Medicine, Department of Anaesthetics, Cardiff.

[32] Bajaj,P. (1996) Whether myofascial pain is a single condition? 1-16. University of Wales College of Medicine, Department of Anaesthetics, Cardiff.

[33] Bajaj,P.(1995) Hypnotherapy (Review). University of Wales College of Medicine, Department of Anaesthetics, Cardiff.

[34] Bajaj,P (1995). A technique for treating pain, its benefits and its side-effects (Dry needling). University of Wales College of Medicine, Department of Anaesthetics, Cardiff.

[35] Bajaj,P (1995). TENS is widely used for the relief of chronic pain. University of Wales College of Medicine, Department of Anaesthetics, Cardiff.

[36] Bajaj,P.(1995) Using 'core condition' of counselling describe how you would enable a patient to locate their skills, strengths and resources which could assist in the management of pain. University of Wales College of Medicine, Department of Anaesthetics, Cardiff.

[37] Bajaj,P. (1994) Why pain is difficult to manage? University of Wales College of Medicine, Department of Anaesthetics, Cardiff.

[38] Bajaj,P. (1994) Best opioid for the relief of pain (Tramadol). University of Wales College of Medicine, Department of Anaesthetics, Cardiff.

[39] Bajaj,P. (1994) Management of pain depends on understanding the experience of pain, and its context, as much as defining the nature of the pain. University of Wales College of Medicine, Department of Anaesthetics, Cardiff.

[40] Bajaj,P., Lawry,J., Shenton,G., & Rees,R.C. (1993) Interleukin-6 and tumour necrosis factor alpha synergistically block S- phase cell cycle and upregulate intercellular adhesion molecule-1 expression on MCF7 breast carcinoma cells. *Cancer Lett*, 71, 143-149.

[41] Bajaj,P. (1992) In vivo and in vitro study of intercellular adhesion molecule-1 (ICAM-1) presentation and cell cycle analysis in breast cancer. 1-200. University of Sheffield, Institute of Cancer Studies, England.



**Dr. Prem Bajaj**

*MD, PhD, MMedSc (Sheffield, UK), MPM (Cardiff, Wales)*

Tlf Nr: 0044 (0) 2088450017

E-mail: [pbajaj@modernhealthltd.com](mailto:pbajaj@modernhealthltd.com)

[42] Lawry,J., Stephenson,T.J., Ogudire,G., Bajaj,P., Goepel,J.R., & Shorthouse,A.J. (1992) A flow cytometric study of adhesion molecules and oncoproteins in primary and metastatic breast cancer. *The Breast*, Churchill Livingstone , 147.

[43] Lawry,J., Ogudire,G., Bajaj,P., Stephenson,T., & Goepel,J. (1992) A study of ICAM-1 adhesion molecule in breast cancer. *Tumour Immunology 31*[British Society of Immunology, Spring Meeting, Sheffield University April 1-3.].